PHONES
(044) 360-7-130
(050) 336-0-130
(063) 788-0-130
(067) 233-0-130
(068) 282-0-130

130 COM.UA
Internet store of autogoods

ICQ
294-0-130
597-0-130

SKYPE
km-130

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Facia plates and adapters • Antennas • Accessories | CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories | GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Car TV tuners • Cameras • Videomodules • Transcoders • Car TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps • LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronics • Front parktronics • Combined parktronics • Rear-view mirrors • Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation • Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Carsits • Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors • Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid • Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant

In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to chose the very particular thing. We are waiting for you at the address

http://130.com.ua

02/08

MAC AUDIO

STX SERIES

SUBWOOFER

Mac Audio · Lise-Meitner-Str. 9 · 50259 Pulheim · Tel: 02234/807-0 · Fax: 02234/807-399 · www.mac-audio.de

Autogood products Internet store “130”

02/08

MAC AUDIO

STX SERIES

SUBWOOFER

STX 10

STX 12

STX 15

Mac Audio · Lise-Meitner-Str. 9 · 50259 Pulheim · Tel: 02234/807-0 · Fax: 02234/807-399 · www.mac-audio.de

Autogood products Internet store “130”

02/08

MAC AUDIO

STX SERIES

SUBWOOFER

Besonderheiten/ Highlights

Subwoofer für geschlossene und Bassreflex-Gehäuse
Black-Chrome-beschichteter Stahlkorb mit zusätzlicher Schwingspulenbelüftung
Mehrlagig gepresste, luftgetrocknete Papiermembran
2"/2.5" Hochleistungsschwingspule mit japanischem TOTOKU-Draht
Aluminium-Schwingspulenträger
High-Power 43/50/65 oz Magnet mit Schutzkappe
Verchromte Polplatte mit Lasergravur
Verchromtes Push-Terminal
Deko-Ring zur Abdeckung der Befestigungsschrauben

Subwoofer for sealed and bass-reflex cabinets
Black-Chrome coated steel basket with additional voice coil ventilation
Multi-layer compressed, air-dried paper cone
2"/2.5" high-performance voice coil with Japanese TOTOKU wire
Aluminium voice coil former
High-Power 43/50/65 oz magnet with protection cap
Chrome-plated pole plate with laser engraving
Chrome-plated push terminal
Decorative ring covering the fixing screws

Subwoofer pour caissons fermés et bassreflex
Saladier en acier recouvert de Black Chrome avec ventilation de la bobine mobile
Membrane en papier pressé multicouche et séché à l'air
2"/2.5" bobine mobile de haut performance avec fil japonais TOTOKU
Support de la bobine mobile en aluminium
43/50/65 oz aimant de haute performance avec chape de protection
Pièces polaires chromées avec gravure laser
Bornier à pinces chromé
Cache décoratif des vis de fixation

Mac Audio · Lise-Meitner-Str. 9 · 50259 Pulheim · Tel: 02234/807-0 · Fax: 02234/807-399 · www.mac-audio.de

Autogood products Internet store "130"

02/08

MAC AUDIO

SUBWOOFER

STX 10

Technische Daten/ Specifications

Prinzip / DIN-Ø	250 mm
Principle / DIN-Ø	10"
Belastbarkeit RMS/max.	400 / 800 Watt
Power handling RMS/max.	400 / 800 watts
Impedanz	4 Ohm
Impedance	4 ohms
Frequenzbereich	22 - 500 Hz
Frequency response	22 - 500 Hz
Schalldruck	89 dB
Sound pressure level	89 dB
Außendurchmesser	262 mm
Outer diameter	262 mm
Lochausschnitt	230 mm
Cutting out	230 mm
Einbautiefe	127 mm
Installation depth	127 mm
Fs	27 Hz
Qes	0,30
Qms	3,96
Qts	0,28
Vas	76 L
Xmax	22 mm
Rdc	3,3 Ohm(s)
Korb Material	Stahl/black chrome
Basket material	steel/black chrome
Membran-Material	mehrlagig gepresste, luftgetrocknete Papiermembran
Cone material	Multi-layer pressed and air-dried paper cone
Gehäuse-Vorschläge	Geschlossenes/closed, 18 Liter
Cabinet suggestion	Bassreflex, 32 Liter / 1 Reflexrohr/port
	Ø 8 cm, Länge/legth 28 cm

Art.Nr.: 132 8010 / EAN: 40 23037 28010 4

Mac Audio · Lise-Meitner-Str. 9 · 50259 Pulheim · Tel: 02234/807-0 · Fax: 02234/807-399 · www.mac-audio.de

Autogood products Internet store "130"

02/08

MAC AUDIO

STX 12

SUBWOOFER

Technische Daten/ Specifications

Prinzip / DIN-Ø	300 mm
Principle / DIN-Ø	12"
Belastbarkeit RMS/max.	500 / 1000 Watt
Power handling RMS/max.	500 / 1000 watts
Impedanz	4 Ohm
Impedance	4 ohms
Frequenzbereich	20 - 500 Hz
Frequency response	20 - 500 Hz
Schalldruck	90 dB
Sound pressure level	90 dB
Außendurchmesser	315 mm
Outer diameter	315 mm
Lochausschnitt	286 mm
Cutting out	286 mm
Einbautiefe	146 mm
Installation depth	146 mm
Fs	25 Hz
Qes	0,29
Qms	5,38
Qts	0,28
Vas	133 L
Xmax	22 mm
Rdc	3,3 Ohm(s)
Korb Material	Stahl/black chrome
Basket material	steel/black chrome
Membran-Material	mehrlagig gepresste, luftgetrocknete Papiermembran
Cone material	Multi-layer pressed and air-dried paper cone
Gehäuse-Vorschläge	Geschlossenes/closed, 29 Liter
Cabinet suggestion	Bassreflex, 50 Liter / 1 Reflexrohr/port Ø 10 cm, Länge/legth 30 cm

Art.Nr.: 132 8012 / EAN: 40 23037 28012 8

Mac Audio · Lise-Meitner-Str. 9 · 50259 Pulheim · Tel: 02234/807-0 · Fax: 02234/807-399 · www.mac-audio.de

Autogood products Internet store "130"

02/08

MAC AUDIO

SUBWOOFER

STX 15

Technische Daten/ Specifications

Prinzip / DIN-Ø	380 mm
Principle / DIN-Ø	15"
Belastbarkeit RMS/max.	600 / 1200 Watt
Power handling RMS/max.	600 / 1200 watts
Impedanz	4 Ohm
Impedance	4 ohms
Frequenzbereich	18 - 500 Hz
Frequency response	18 - 500 Hz
Schalldruck	93 dB
Sound pressure level	93 dB
Außendurchmesser	380 mm
Outer diameter	380 mm
Lochausschnitt	357 mm
Cutting out	357 mm
Einbautiefe	170 mm
Installation depth	170 mm
Fs	22 Hz
Qes	0,27
Qms	5,17
Qts	0,26
Vas	335 L
Xmax	24 mm
Rdc	3,3 Ohm(s)
Korb Material	Stahl/black chrome
Basket material	steel/black chrome
Membran-Material	mehrlagig gepresste, luftgetrocknete Papiermembran
Cone material	Multi-layer pressed and air-dried paper cone
Gehäuse-Vorschläge	Geschlossenes/closed, 38 Liter
Cabinet suggestion	Bassreflex, 75 Liter / 1 Reflexrohr/port Ø 10 cm, Länge/legth 25 cm

Artikelnr.: 132 8015 / EAN: 40 23037 28015 9

Mac Audio · Lise-Meitner-Str. 9 · 50259 Pulheim · Tel: 02234/807-0 · Fax: 02234/807-399 · www.mac-audio.de

Autogood products Internet store "130"